ELSEVIER

Biomembranes

Vol. 1416, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Akerman, R., see Shayeghi, M. (1416) 109
Albert, A.D., see Dorey, M. (1416) 217
Altamirano, A.A., Breitwieser, G.E. and Russell, J.M.
Activation of Na^+,K^+,Cl^- cotransport in squid giant axon by extracellular ions: evidence for ordered binding (1416) 195
Amato, I., see Oberholzer, T. (1416) 57
Anderson, H.C., see Hsu, H.H.T. (1416) 320
Arendt, A., see Dorey, M. (1416) 217
Azmuko, A.A., see Stambolsky, D.V. (1416) 155

Barker, S., see Separovic, F. (1416) 48
Batenburg, J.J., see Veldhuizen, E.J.A. (1416) 295
Bespalova, Z.D., see Stambolsky, D.V. (1416) 155
Bhawsar, N., see Dorey, M. (1416) 217
Bochkov, V.N., see Stambolsky, D.V. (1416) 155
Bonasoro, F., see Ghirardelli, R. (1416) 39
Brasil, F.L., see Rangel, L.B.A. (1416) 309
Breitwieser, G.E., see Altamirano, A.A. (1416) 195
Bruce, L.J., Ring, S.M., Ridgwell, K., Reardon, D.M., Seymour, C.A., Van Dort, H.M., Low, P.S. and Tanner, M.J.A.
South-east Asian ovalocytic (SAO) erythrocytes have a cold sensitive cation leak: implications for in vitro studies on stored SAO red cells (1416) 258
Büttner, K., see Castano, S. (1416) 161

Camacho, N.P., see Hsu, H.H.T. (1416) 320
Caruso-Neves, C., see Rangel, L.B.A. (1416) 309
Castano, S., Desbat, B., Laguerre, M. and Dufourcq, J.
Structure, orientation and affinity for interfaces and lipids of ideally amphipathic lytic $L_iK_i(i = 2j)$ peptides (1416) 176
Castano, S., Cornut, I., Büttner, K., Dasseux, J.L. and Dufourcq, J.
The amphipathic helix concept: length effects on ideally amphipathic $L_iK_i(i = 2j)$ peptides to acquire optimal hemolytic activity (1416) 161
Celli, C.M., Gharavi, A.E. and Chaimovich, H.
Opposite β_2-glycoprotein I requirement for the binding of infectious and autoimmune antiphospholipid antibodies to cardiolipin liposomes is associated with antibody avidity (1416) 225
Chaimovich, H., see Celli, C.M. (1416) 225
Chanda, B. and Mathew, M.K.
Functional reconstitution of bacterially expressed human potassium channels in proteoliposomes: membrane potential measurements with JC-1 to assay ion channel activity (1416) 92
Cornut, I., see Castano, S. (1416) 161
Cremaschi, D., see Ghirardelli, R. (1416) 39
Cremaschi, D., Porta, C. and Ghirardelli, R.
Different kinds of polypeptides and polypeptide-coated nanoparticles are accepted by the selective transcytosis shown in the rabbit nasal mucosa (1416) 31
Crowe, J.H., see Oliver, A.E. (1416) 349
Crowell, K.J. and Macdonald, P.M.
Surface charge response of the phosphatidylcholine head group in bilayered micelles from phosphorus and deuterium nuclear magnetic resonance (1416) 21
Cullis, P.R., see Maurer-Spurej, E. (1416) 1

Dahlgren, C., see Movitz, C. (1416) 101
Dasseux, J.L., see Castano, S. (1416) 161
De Pont, J.J.H.H.M., see Hermsen, H.P.H. (1416) 251
Delahunty, M., see Separovic, F. (1416) 48
Desbat, B., see Castano, S. (1416) 176
Dorey, M., Hargrave, P.A., McDowell, J.H., Arendt, A., Vogt, T., Bhawsar, N., Albert, A.D. and Yeagle, P.L.
Effects of phosphorylation on the structure of the G-protein receptor rhodopsin (1416) 217
Dufourcq, J., see Castano, S. (1416) 176
Dufourcq, J., see Castano, S. (1416) 161

Eguchi, A., see Watabe, A. (1416) 339

Fenske, D.B., see Maurer-Spurej, E. (1416) 1
Flach, C.R., Gericke, A., Keough, K.M.W. and Mendelsohn, R.
Palmitoylation of lung surfactant protein SP-C alters surface thermodynamics, but not protein secondary structure or orientation in 1,2-dipalmitoylphosphatidylcholine Langmuir films (1416) 11
Fuks, B. and Homblé, F.
Passive anion transport through the chloroplast inner envelope membrane measured by osmotic swelling of intact chloroplasts (1416) 361

Gericke, A., see Flach, C.R. (1416) 11
Gharavi, A.E., see Celli, C.M. (1416) 225
Ghirardelli, R., Bonasoro, F., Porta, C. and Cremaschi, D.
Identification of particular epithelial areas and cells that transport polypeptide-coated nanoparticles in the nasal respiratory mucosa of the rabbit (1416) 39
Ghirardelli, R., see Cremaschi, D. (1416) 31
Grover-McKay, M., Walsh, S.A. and Thompson, S.A.
Glucose transporter 3 (GLUT3) protein is present in human myocardium (1416) 145

Haagsman, H.P., see Veldhuizen, E.J.A. (1416) 295
Hargrave, P.A., see Dorey, M. (1416) 217
Hayakawa, T., see Watabe, A. (1416) 339
Hermsen, H.P.H., Swarts, H.G.P., Koenderink, J.B. and De Pont, J.J.H.H.M.
Mutagenesis of glutamate 820 of the gastric H^+,K^+-ATPase α-subunit to aspartate decreases the apparent ATP affinity (1416) 251
Herring, F.G., see Males, R.G. (1416) 333
Hoffmann, E.K., see Pedersen, S. (1416) 271
Homblé, F., see Fuks, B. (1416) 361
Hsu, H.H.T., Camacho, N.P. and Anderson, H.C.
Further characterization of ATP-initiated calcification by matrix vesicles isolated from rachitic rat cartilage (1416) 320

Jarvis, S.M., see Shayeghi, M. (1416) 109

ELSEVIER

Biomembranes

Vol. 1416, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Akerman, R., see Shayeghi, M. (1416) 109
Albert, A.D., see Dorey, M. (1416) 217
Altamirano, A.A., Breitwieser, G.E. and Russell, J.M.
Activation of Na^+,K^+,Cl^- cotransport in squid giant axon by extracellular ions: evidence for ordered binding (1416) 195
Amato, I., see Oberholzer, T. (1416) 57
Anderson, H.C., see Hsu, H.H.T. (1416) 320
Arendt, A., see Dorey, M. (1416) 217
Azmuko, A.A., see Stambolsky, D.V. (1416) 155

Barker, S., see Separovic, F. (1416) 48
Batenburg, J.J., see Veldhuizen, E.J.A. (1416) 295
Bespalova, Z.D., see Stambolsky, D.V. (1416) 155
Bhawsar, N., see Dorey, M. (1416) 217
Bochkov, V.N., see Stambolsky, D.V. (1416) 155
Bonasoro, F., see Ghirardelli, R. (1416) 39
Brasil, F.L., see Rangel, L.B.A. (1416) 309
Breitwieser, G.E., see Altamirano, A.A. (1416) 195
Bruce, L.J., Ring, S.M., Ridgwell, K., Reardon, D.M., Seymour, C.A., Van Dort, H.M., Low, P.S. and Tanner, M.J.A.
South-east Asian ovalocytic (SAO) erythrocytes have a cold sensitive cation leak: implications for in vitro studies on stored SAO red cells (1416) 258
Büttner, K., see Castano, S. (1416) 161

Camacho, N.P., see Hsu, H.H.T. (1416) 320
Caruso-Neves, C., see Rangel, L.B.A. (1416) 309
Castano, S., Desbat, B., Laguerre, M. and Dufourcq, J.
Structure, orientation and affinity for interfaces and lipids of ideally amphipathic lytic $L_iK_i(i = 2j)$ peptides (1416) 176
Castano, S., Cornut, I., Büttner, K., Dasseux, J.L. and Dufourcq, J.
The amphipathic helix concept: length effects on ideally amphipathic $L_iK_i(i = 2j)$ peptides to acquire optimal hemolytic activity (1416) 161
Celli, C.M., Gharavi, A.E. and Chaimovich, H.
Opposite β_2-glycoprotein I requirement for the binding of infectious and autoimmune antiphospholipid antibodies to cardiolipin liposomes is associated with antibody avidity (1416) 225
Chaimovich, H., see Celli, C.M. (1416) 225
Chanda, B. and Mathew, M.K.
Functional reconstitution of bacterially expressed human potassium channels in proteoliposomes: membrane potential measurements with JC-1 to assay ion channel activity (1416) 92
Cornut, I., see Castano, S. (1416) 161
Cremaschi, D., see Ghirardelli, R. (1416) 39
Cremaschi, D., Porta, C. and Ghirardelli, R.
Different kinds of polypeptides and polypeptide-coated nanoparticles are accepted by the selective transcytosis shown in the rabbit nasal mucosa (1416) 31
Crowe, J.H., see Oliver, A.E. (1416) 349
Crowell, K.J. and Macdonald, P.M.
Surface charge response of the phosphatidylcholine head group in bilayered micelles from phosphorus and deuterium nuclear magnetic resonance (1416) 21
Cullis, P.R., see Maurer-Spurej, E. (1416) 1

Dahlgren, C., see Movitz, C. (1416) 101
Dasseux, J.L., see Castano, S. (1416) 161
De Pont, J.J.H.H.M., see Hermsen, H.P.H. (1416) 251
Delahunty, M., see Separovic, F. (1416) 48
Desbat, B., see Castano, S. (1416) 176
Dorey, M., Hargrave, P.A., McDowell, J.H., Arendt, A., Vogt, T., Bhawsar, N., Albert, A.D. and Yeagle, P.L.
Effects of phosphorylation on the structure of the G-protein receptor rhodopsin (1416) 217
Dufourcq, J., see Castano, S. (1416) 176
Dufourcq, J., see Castano, S. (1416) 161

Eguchi, A., see Watabe, A. (1416) 339

Fenske, D.B., see Maurer-Spurej, E. (1416) 1
Flach, C.R., Gericke, A., Keough, K.M.W. and Mendelsohn, R.
Palmitoylation of lung surfactant protein SP-C alters surface thermodynamics, but not protein secondary structure or orientation in 1,2-dipalmitoylphosphatidylcholine Langmuir films (1416) 11
Fuks, B. and Homblé, F.
Passive anion transport through the chloroplast inner envelope membrane measured by osmotic swelling of intact chloroplasts (1416) 361

Gericke, A., see Flach, C.R. (1416) 11
Gharavi, A.E., see Celli, C.M. (1416) 225
Ghirardelli, R., Bonasoro, F., Porta, C. and Cremaschi, D.
Identification of particular epithelial areas and cells that transport polypeptide-coated nanoparticles in the nasal respiratory mucosa of the rabbit (1416) 39
Ghirardelli, R., see Cremaschi, D. (1416) 31
Grover-McKay, M., Walsh, S.A. and Thompson, S.A.
Glucose transporter 3 (GLUT3) protein is present in human myocardium (1416) 145

Haagsman, H.P., see Veldhuizen, E.J.A. (1416) 295
Hargrave, P.A., see Dorey, M. (1416) 217
Hayakawa, T., see Watabe, A. (1416) 339
Hermsen, H.P.H., Swarts, H.G.P., Koenderink, J.B. and De Pont, J.J.H.H.M.
Mutagenesis of glutamate 820 of the gastric H^+,K^+-ATPase α-subunit to aspartate decreases the apparent ATP affinity (1416) 251
Herring, F.G., see Males, R.G. (1416) 333
Hoffmann, E.K., see Pedersen, S. (1416) 271
Homblé, F., see Fuks, B. (1416) 361
Hsu, H.H.T., Camacho, N.P. and Anderson, H.C.
Further characterization of ATP-initiated calcification by matrix vesicles isolated from rachitic rat cartilage (1416) 320

Jarvis, S.M., see Shayeghi, M. (1416) 109

Ježová, M., see Kolena, J. (1416) 208

Kashirina, N.M., see Stambolsky, D.V. (1416) 155
Kawanishi, T., see Watabe, A. (1416) 339
Keough, K.M.W., see Flach, C.R. (1416) 11
Koenderink, J.B., see Hermsen, H.P.H. (1416) 251
Kolena, J., Ježová, M., Vranová, J. and Scsuková, S.
Structure-stabilizing effect of albumin on rat ovarian LH/hCG receptors (1416) 208
Kono, K., Nakai, R., Morimoto, K. and Takagishi, T.
Thermosensitive polymer-modified liposomes that release contents around physiological temperature (1416) 239
Kuzmenko, Y.S., see Stambolsky, D.V. (1416) 155

Laguerre, M., see Castano, S. (1416) 176
Lambert, I.H., see Pedersen, S. (1416) 271
Lara, L.S., see Rangel, L.B.A. (1416) 309
Lewis, R.N.A.H., see McMullen, T.P.W. (1416) 119
Li, Q.-T., see Wu, X. (1416) 285
Lopes, A.G., see Rangel, L.B.A. (1416) 309
Low, P.S., see Bruce, L.J. (1416) 258
Lustig, A., see Oberholzer, T. (1416) 57

Macdonald, P.M., see Crowell, K.J. (1416) 21
Males, R.G. and Herring, F.G.
A ^{1}H-NMR study of the permeation of glycolic acid through phospholipid membranes (1416) 333
Mathew, M.K., see Chanda, B. (1416) 92
Maurer, N., see Maurer-Spurej, E. (1416) 1
Maurer-Spurej, E., Wong, K.F., Maurer, N., Fenske, D.B. and Cullis, P.R.
Factors influencing uptake and retention of amino-containing drugs in large unilamellar vesicles exhibiting transmembrane pH gradients (1416) 1
Mayumi, T., see Watabe, A. (1416) 339
McDowell, J.H., see Dorey, M. (1416) 217
McElhaney, R.N., see McMullen, T.P.W. (1416) 119
McMullen, T.P.W., Lewis, R.N.A.H. and McElhaney, R.N.
Calorimetric and spectroscopic studies of the effects of cholesterol on the thermotropic phase behavior and organization of a homologous series of linear saturated phosphatidylethanolamine bilayers (1416) 119
Mendelsohn, R., see Flach, C.R. (1416) 11
Meyer, E., see Oberholzer, T. (1416) 57
Mizuguchi, H., see Watabe, A. (1416) 339
Monnard, P.-A., see Oberholzer, T. (1416) 57
Morimoto, K., see Kono, K. (1416) 239
Morse, R.(P.D.II), see Yuann, J.-M.P. (1416) 135
Movitz, C., Sjölin, C. and Dahlgren, C.
Cleavage of annexin I in human neutrophils is mediated by a membrane-localized metalloprotease (1416) 101

Nakai, R., see Kono, K. (1416) 239
Nakanishi, M., see Watabe, A. (1416) 339
Nilius, B., see Pedersen, S. (1416) 271

Oberholzer, T., Meyer, E., Amato, I., Lustig, A. and Monnard, P.-A.
Enzymatic reactions in liposomes using the detergent-induced liposome loading method (1416) 57
Oliver, A.E., Tablin, F., Walker, N.J. and Crowe, J.H.
The internal calcium concentration of human platelets increases during chilling (1416) 349

Pedersen, S., Pedersen, S.F., Nilius, B., Lambert, I.H. and Hoffmann, E.K.
Mechanical stress induces release of ATP from Ehrlich ascites tumor cells (1416) 271
Pedersen, S.F., see Pedersen, S. (1416) 271
Philippova, M.P., see Stambolsky, D.V. (1416) 155
Porta, C., see Ghirardelli, R. (1416) 39
Porta, C., see Cremaschi, D. (1416) 31
Putz, G., see Veldhuizen, E.J.A. (1416) 295

Rangel, L.B.A., Caruso-Neves, C., Lara, L.S., Brasil, F.L. and Lopes, A.G.
Angiotensin II activates the ouabain-insensitive Na^{+}-ATPase from renal proximal tubules through a G-protein (1416) 309
Reardon, D.M., see Bruce, L.J. (1416) 258
Resink, T.J., see Stambolsky, D.V. (1416) 155
Ridgwell, K., see Bruce, L.J. (1416) 258
Ring, S.M., see Bruce, L.J. (1416) 258
Russell, J.M., see Altamirano, A.A. (1416) 195

Scsuková, S., see Kolena, J. (1416) 208
Separovic, F., Barker, S., Delahunty, M. and Smith, R.
NMR structure of C-terminally tagged gramicidin channels (1416) 48
Seymour, C.A., see Bruce, L.J. (1416) 258
Shayeghi, M., Akerman, R. and Jarvis, S.M.
Nucleobase transport in opossum kidney epithelial cells and *Xenopus laevis* oocytes: the characterisation, structure–activity relationship of uracil analogues and oocyte expression studies of sodium-dependent and -independent hypoxanthine uptake (1416) 109
Sjölin, C., see Movitz, C. (1416) 101
Smith, R., see Separovic, F. (1416) 48
Sobolevsky, A.I.
Two-component blocking kinetics of open NMDA channels by organic cations (1416) 69
Stambolsky, D.V., Kuzmenko, Y.S., Philippova, M.P., Bochkov, V.N., Bespalova, Z.D., Azmuko, A.A., Kashirina, N.M., Vlasik, T.N., Tkachuk, V.A. and Resink, T.J.
Identification of 130 kDa cell surface LDL-binding protein from smooth muscle cells as a partially processed T-cadherin precursor (1416) 155
Swarts, H.G.P., see Hermsen, H.P.H. (1416) 251

Tablin, F., see Oliver, A.E. (1416) 349
Takagishi, T., see Kono, K. (1416) 239
Tanner, M.J.A., see Bruce, L.J. (1416) 258
Thompson, S.A., see Grover-McKay, M. (1416) 145
Tkachuk, V.A., see Stambolsky, D.V. (1416) 155

Uchida, E., see Watabe, A. (1416) 339

Van Dort, H.M., see Bruce, L.J. (1416) 258
van Golde, L.M.G., see Veldhuizen, E.J.A. (1416) 295
Vandenbussche, G., see Veldhuizen, E.J.A. (1416) 295
Veldhuizen, E.J.A., Batenburg, J.J., Vandenbussche, G., Putz, G., van Golde, L.M.G. and Haagsman, H.P.
Production of surfactant protein C in the baculovirus expression system: the information required for correct folding and palmitoylation of SP-C is contained within the mature sequence (1416) 295
Vlasik, T.N., see Stambolsky, D.V. (1416) 155
Vogt, T., see Dorey, M. (1416) 217
Vranová, J., see Kolena, J. (1416) 208

Walker, N.J., see Oliver, A.E. (1416) 349

Walsh, S.A., see Grover-McKay, M. (1416) 145
Watabe, A., Yamaguchi, T., Kawanishi, T., Uchida, E., Eguchi, A., Mizuguchi, H., Mayumi, T., Nakanishi, M. and Hayakawa, T.
Target-cell specificity of fusogenic liposomes: Membrane fusion-mediated macromolecule delivery into human blood mononuclear cells (1416) 339
Wong, K.F., see Maurer-Spurej, E. (1416) 1
Wu, X. and Li, Q.-T.
Hydration and stability of sulfatide-containing phosphatidylethanolamine small unilamellar vesicles (1416) 285

Yamaguchi, T., see Watabe, A. (1416) 339
Yeagle, P.L., see Dorey, M. (1416) 217
Yuann, J.-M.P. and Morse, R.(P.D.II)
Determination by photoreduction of flip-flop kinetics of spin-labeled stearic acids across phospholipid bilayers (1416) 135